

GLACIER VIEW MEADOWS -- Architectural Review Committee RULES AND REGULATIONS

Approved by Road & Recreation Board Motion – 9/15/10

I. Authorization

A. Covenants of Glacier View Meadows

As authorized by the Covenants of Glacier View Meadows, filed with Larimer County (8 August 1992, amended) and passed by a two-thirds majority of GVM property owners, the Architectural Control Committee (ACC) was created to maintain a style and nature of building design that is architecturally harmonious with the physical character of the area, including quality of workmanship, type of materials and harmony of external design. (*Cov. 2.2, 4.1, 4.2, 4.3, 4.9*) In June 2001 with the adoption of new By-laws, the ultimate authority of the ACC was transferred to the Glacier View Meadows Road and Recreation Board, and a new committee, known as the Architectural Review Committee (ARC), was formed.

B. Scope of Authority

The Architectural Review Committee is charged with reviewing and either approving or disapproving architectural plans for all structures and alterations thereto in Glacier View Meadows, including size, height, location, time for construction, exterior materials, exterior lighting, roof appurtenances, driveways, building envelopes, garages, outbuildings, gates and entries and horse stables. The ARC does not have responsibility for reviewing complaints; these are to be submitted directly to the GVM Manager. The ARC however is responsible for other activities that affect the aesthetics of the environment surrounding said structures to include approval for tree cutting, removal of fire hazard materials, nuisances, grading, drainage, temporary residences, home-based businesses, signs, fences and re-subdividing. The ARC will also act upon requests for variances of the Rules and Regulations. (*Cov. 4.3, 4.6-4.10, 4.12-4.15, 4.17, 4.19, 4.22, 4.23, Suppl. Cov./1-12*)

C. Rules and Regulations

The Architectural Review Committee is authorized to adopt certain rules and regulations, embodied in these “Rules and Regulations.” Variances to the Rules and Regulations may be made by the Architectural Review Committee which uphold sound architectural planning and land use and are harmonious with the general physical and aesthetic character of the area. (*Cov. 2.22, 4.2, Suppl. Cov./1-12*)

II. Property Owners’ Responsibilities

All Glacier View Meadows property owners planning any activity falling under the responsibility of the Architectural Review Committee are required to submit formal application for new construction, modifications to existing structures or other activity cited in I (B) above and must obtain approval from the Architectural Review Committee.

Among the activities deemed *not* subject to approval are dead tree removal, repainting of structures in the same (previously approved) color, or replacement of structural elements in the course of normal maintenance, such as decks, windows, doors.

Application forms are available at the GVM office as well as information regarding current application fees. This form is also available on the GVM website. If in doubt about a specific planned activity, consult the GVM Manager or the Architectural Review Committee. *See Part III for additional information about submittal of plans. (Cov. 4.3, 5.3)*

A. Adherence to Covenants/Architectural Rules & Regulations

Property owners cannot use ignorance of the Rules and Regulations as an excuse for non-compliance. Property owners are also responsible for the actions of their builder, contractor, and agents and should keep them informed of the Rules and Regulations. Builders and contractors may be required to modify or even tear down construction at an owner's expense if it violates any of the Rules and Regulations. *(Cov. 5.3, 4.3)*

B. Observance of State and County Regulations

All property owners must adhere to the building codes and zoning ordinances of Larimer County. Satisfaction of county and state requirements, however, does not automatically constitute compliance with the Glacier View Meadows Rules and Regulations. *(Cov. Preamble, 4.3)*

C. Completion of Construction on Time

Owners must complete all construction within twelve months from date of commencement, to include – if applicable - all grading, residence (including exterior siding, painting, and roofing), cleanup of construction materials, and all outbuildings. This period may be extended only by written approval of the ARC and must relate to extenuating circumstances such as inclement weather, labor strikes, inability to obtain materials, etc. *(Cov. 4.8)*

Construction is deemed to commence when any of the following occur:

1. A temporary residence is moved to the lot.
2. Preliminary excavation for the residence is begun.
3. A septic system is installed.
4. Building materials are delivered to the property.

D. Temporary Residences

Temporary residences during residential construction must be approved by the ARC and may be on the property no longer than twelve months from the date of commencement. *(Cov. 4.15)*

III. Submitting Applications

A. Early Contact

Owners planning to build or alter any structure in Glacier View Meadows are urged to arrange an early meeting with the GVM Manager and, if appropriate, to include a visit to their site. The Manager will help expedite the application so as to avoid unnecessary problems or delays. Owners are further encouraged to submit preliminary drawings or sketches to facilitate consideration of any project feature(s) that may be controversial. Note however that drawings in the final application must be more precise, as required by IV-C below.

The final application should be made well in advance of actual construction so as to accommodate unforeseen problems, design changes, and/or re-submittals. *(Cov. 4.3)*

B. Submitting Forms/Fees

All applications must be submitted on an official Glacier View Meadows application form. The form will be signed by the Manager, indicating that the applicant is the current property owner, all dues and fees are current, application and impact fees have been paid, and proper site/construction plans and material samples have been submitted. Signature by the Manager does not constitute approval, but merely indicates that all requirements of the application have been met and that the 30-day approval period by the Architectural Review Committee has begun. *(Cov. 4.3)*

Complete, formal applications along with the application fees and any required deposits must be submitted to the GVM office no later than one week in advance of the forthcoming ARC meeting for consideration at that meeting. Late applications will not be considered until the next monthly ARC meeting.

The valid duration of a plan submitted to the Architectural Review Committee is one year after date of approval. If construction has not begun by that time, all plans must be re-submitted for approval along with the necessary fees.

The Construction Trash agreement must be signed and included with the application for projects likely to generate trash, such as garages and residences.

IV. Plans

A. Site Plans/ Lot Requirements

All site plans must:

1. Be to scale.
2. Include a reproduction of the plat map (available at the GVM Office). This must accompany each application submitted.
3. Show compass orientation of the lot.
4. Show topography/elevation when it impacts location, grading, or other building factors.
5. Show the site(s) of all existing and proposed structures/alterations in relation to roads, property boundaries, easements, and topographical features.
6. Indicate the square footage of all structures.
7. Observe E (Estate) setbacks for all structures:
 - a. 75 feet from the centerline of any road.
 - b. 50 feet from any property line, not including easements.
 - c. Although Filing 1 and a few lots in Filing 9 (Range 71W) are zoned O (Open) and FA-1, setbacks of E (Estate) are required as above.
8. Ensure that no permanent structure encroaches on any easement, including roads, utility corridors, hiking trails or bridal paths.
9. Include a plan for any proposed grading, including drainage of the lot. If a culvert is required for drainage, size and location must be shown on the site map. Plans for placing culverts are available at the GVM Office. (*Cov. 4.13, 4.14*)
10. Include plans for any proposed driveway(s), sheds or other outbuildings; see VI-E below.
11. Show any proposed tree removal. (*Cov. 4.12*)

B. All structures, including manufactured housing, must meet International Residential Code (IRC) standards.

C. Construction Plans for On-site Construction

All construction plans must:

1. Include two (2) full sets of floor plans and elevation drawings of all sides of proposed buildings.
2. Be drawn to scale.
3. Include all construction specifications.
4. Be sufficiently precise and legible to be acceptable to the Larimer County Building Department and to guide actual construction.
5. Give particular attention to aesthetics, including exterior design, color and texture.

6. Include samples and/or color chips for exterior, trim and roof of the house and outbuildings.
7. Include appropriate samples for other items (sheds, garages, fences, etc.). *(Cov. 4.3)*

D. Plans for Manufactured Housing

Detailed, buildable construction plans are not required, because pre-manufactured housing requirements are pre-certified and exceed Larimer County minimum requirements. However submission must include plans for:

1. An engineered perimeter foundation plan drawn to scale that includes length and width measurements, and plans and specifications.
2. Drawings to scale of all elevations. Drawings must include all roof appurtenances such as dormers and cupolas as well as attached porches and decks.

V. Residence Requirements

A. Types of Residences

A wide diversity of styles and building materials is encouraged in Glacier View Meadows, with no particular style of building favored over another. The ultimate goal is that every structure be an attractive and positive addition to the area, which complements and maintains the aesthetic environment. Accordingly, no building or activity will be permitted or allowed to remain in Glacier View Meadows which violates any Covenant, Rule or Regulation or, in the opinion of the Architectural Review Committee and the GVM Road and Recreation Board of Directors, detracts from the appearance or the aesthetics and general character of the area as a whole. *(Cov. 1.1, 2.2, 4.1, 4.2, 4.3, 4.9, 5.3, Suppl. Cov./1-12)*

B. Final Appearance

All structures installed or erected on any lot must give the final appearance of having been constructed for permanence. Manufactured housing is allowed but no structure which has a linear, box-like or otherwise awkward or unpleasing appearance will be permitted. Alterations may be required during the planning stage to eliminate such appearances. *(Cov. 1.1, 2.2, 4.1, 4.2, 4.3, 4.9)*

Attractive manufactured housing has been built in Glacier View Meadows. For specific examples and/or ideas on construction, please contact the GVM Manager or the Architectural Review Committee. Prior purchases will not influence the ARC decisions unless they meet the Rules and Regulations.

C. Requirements and Restrictions

1. Structure

- a. Single family residences only. *(Suppl. Cov./1-12)*
- b. One kitchen.
- c. Minimum size (enclosed living space): Filings 1-8 – 800 sq. ft. Filing 9-12 – 1200 sq. ft.
- d. Minimum width of structure: 20 feet.
- e. It is suggested that no structure be 2.25 times longer than it is wide. However, wider buildings will be considered.
- f. Maximum height: 35 feet above the average grade. *(Suppl. Cov./1-12)*
- g. Long stretches of flat or uninterrupted surfaces may be proposed to be broken by L-wings, pop-outs, decks, porches, log siding, faux stone, rough-sawn paneling, texturing, bay windows or roof appurtenances such as dormers, porch roofs or other enhancements approved by the Architectural Review Committee. *(Cov. 1.1, 2.2, 4.1, 4.2, 4.3, 4.9)*

2. Siding

- a. The exterior of all buildings in Glacier View Meadows are required to harmonize with the physical and aesthetic character of the area, to include color, texture and materials. *(Cov. 2.2, 4.2, 4.3, 4.9)*
- b. Appropriate exterior materials include:
 - (1) Treated logs
 - (2) Wood siding
 - (3) Stucco
 - (4) Masonry, brick or stone
 - (5) Approved paint-grade materials
- c. For color, earth tones are encouraged for the primary surfaces. For trim purposes, other colors should be considered. Examples of acceptable colors are available in the GVM office. *(Cov. 1.1, 2.2, 4.1, 4.3, 4.9)*

3. Roof

- a. Minimum roof pitch for residences is 6/12. Flatter pitches for secondary roof surfaces will be considered
- b. To avoid excessively linear appearance, linear roof lines in excess of 24 feet are recommended to be broken with 3-dimensional structures, including stepping, shadow-forming dormers, cupolas, exterior chimneys, porch roofs, overhangs or other enhancements as approved by the Architectural Review Committee. *(Cov. 1.1, 4.2, 4.3, 4.9)*
- c. Roofs must be fire resistant. Untreated shake shingles are prohibited by county regulation.
- d. Roofs should have a minimum overhang of one foot.

4. Foundation

- a. All residences must be placed on an engineered foundation with a county permit.
- b. Not more than twelve inches of exposed concrete or concrete blocks shall be visible on any elevation. Such surfaces should be covered with siding, stone, stucco or other materials to match the house. Concrete blocks with “cut facing” are acceptable.
- c. No skirting will be allowed. *(Cov. 1.1, 4.1, 4.3, 4.9)*

VI. Other Environmental Considerations Regarding Properties

A. Exterior Lighting

In keeping with the natural setting in Glacier View Meadows, outside lighting should be limited. Short-term activation of lights by sensors is recommended, as is the use of low voltage (low candlepower) lighting systems. Automatic day-night activation by sensors or timers, resulting in extended night flood lighting is unacceptable. *(Cov. 4.17)*

B. Outbuildings

Appropriate outbuildings shall be permitted, including garages, sheds, gazebos, and barns. All outbuildings must be sited, designed and finished so as to complement the residence and may not detract from or overly contrast with the primary living structure. The ARC reserves the right to limit the number of outbuildings on a lot. *(Cov. 4.1, 4.3, Suppl. Cov./I-12)*

Detached decks and patio floors designed to receive pull-in temporary residences must be of an approved type and design, but are not considered outbuildings.

1. Garages

- a. Garages are normally constructed for not more than two cars. Garages of greater capacity will be considered and approved on a case by case basis.
- b. Garages must be built in conjunction with or subsequent to the residence but may not precede it. (Cov. 4.8)
- c. Garages may include hobby rooms, but may not be used as guest houses or temporary residences during construction unless otherwise permitted by Larimer county regulations. County ordinances prohibit living in garages or other outbuildings. (Cov. 4:15)

2. Sheds

- a. Only one shed will be allowed per lot.
- b. Minimum roof pitch for sheds is 4/12, unless otherwise noted.
- c. If there is no permanent residence existing or under construction, a shed of not more than 120 square feet is permitted.
- d. If there is a permanent residence in existence or under construction, a shed of not more than 250 square feet is permitted. Sheds larger than 120 square feet require Larimer County approval, and a minimum roof pitch of 6/12.
- e. Sheds are for storage only and may not include additions designed to create living space. County ordinances prohibit living in sheds or other outbuildings.

3. Gazebos

Gazebos may not be larger than 16 feet across.

4. Pole Structures

- a. Pole structures must be built in conjunction with or subsequent to the residence and may not precede it.
- b. The maximum size of pole structures will normally be 1,000 square feet, with a width-to-length ratio of not less than 2.25. Maximum height will be 20 feet. Larger sizes will be considered.

C. Fences

All fences, temporary or permanent, including dog kennels and horse fencing will require ARC approval. Except for the trademark buck-and-rail fence at the GVM periphery, fences are generally discouraged in Glacier View Meadows in order to maintain an open, natural setting and reduce obstruction of mountain scenery. However, if the owner can show specific cause, he may receive specific approval from the Architectural Review Committee, provided a formal application is submitted which includes location of the fence on the lot and the materials from which it is constructed. (Cov. 2.2, 4.21)

1. It is recommended that fences be of post-and-rail, split rail, board-and-rail, framed, welded-wire, or other natural, "see-through" construction and of a height not to exceed five feet.
 - a. Solid or "stockade" fences may be allowed, but only as screening devices for RVs, trailers, tractors and other similar equipment that cannot be easily stored in a garage. Formal application must be made for approval of a stockade fence and should include cause for construction, materials, location, height and perimeter.
 - b. Chain-link fences are not allowed except as provided in C(3) below. Wood-framed fences constructed with open, welded wire are preferred. The Architectural Review Committee has on file several good examples of fence designs, which have been approved.
2. No fence may encroach on any easement, including roads, utility corridors, hiking trails or bridal paths. Fences that encroach on an easement will have to be removed at the owner's expense if the easement is exercised.

3. Fences for dog runs must be limited to not more than 300 linear feet and must observe the normal setbacks for structures (see IV-A-6 above). If an appropriate disguise paint is used, chain-link may be used if the enclosed area does not exceed 120 square feet.
4. Fences may be used on horse lots to create paddocks or arenas of no more than 1,200 square feet. Owners must keep horses and paddocks at least 100 feet from any community well and off any leach field.
5. Corners of lots may be marked with a single post. Perimeter fencing is not permitted except on designated horse lots.
6. Corners of greenbelts may be marked only by the Road and Recreation Association.

D. Gates and Entries

1. Gates and entries, like all other structures, must be of a design that complements the physical character of the area.
2. Entryways should be made of materials such as, but not limited to, wood, stone or ornamental iron.
3. Gates and entries must not be placed inside the platted easement.
4. A description of all materials and color chips must be submitted with applications. Physical samples may be required. (*Cov. 2.2, 4.1, 4.3.*)

E. Driveways

Driveways must not interfere with drainage of runoff water from a lot. If a culvert is required at the junction of a driveway and road, it must be located so as not to interfere with a grader or snowplow. Consult with the GVM Manager prior to construction of both driveways and culverts. All driveway designs are to be approved by the ARC. Driveways and building sites in Filing 12 are pre-platted. (*Cov. 4.13, 4.14, Suppl. Cov./12*)

F. Addresses

Addresses are assigned by the County Planning Department. Numbers should be clearly posted at the driveway entrance to permit the fire department to quickly locate where their services are needed. Numbers should be a minimum of three (3) inches in height and of high contrast. Approved, highly visible address signs are available for purchase at the GVM Office.

G. Towers

Towers, such as those used for windmill generators or HAM radio stations, may be permitted on a case-by-case basis, in accordance with GVM covenants and state law. (*Suppl. Cov/1-12*)

H. Energy-generating Devices (Thermal/ Electrical)

GVM is attuned to the current trends in energy conservation and is synchronized with state law pertaining to an individual property owner installing one (or more) of the many energy generating devices available. The ARC is currently studying these technologies to determine how to most effectively promote energy conservation while maintaining the character of our neighborhood.

General considerations

- a. Height: any free-standing device/tower must be installed away from the nearest road at least as much as the height of the device, to prevent damage to traffic, should it fall over.
- b. Glare: reflections from polished/shiny surfaces must not be allowed to shine directly into neighboring homes.
- c. Acoustical noise generation for rotating devices: the audible noise generated must be within tolerable limits for neighbors. Numerical limits are being studied.

I. Recreational Vehicles

1. It is recognized by the ARC that residents of GVM may own many types of recreational vehicles and towed equipment. Examples of recreational vehicles are motorhomes, travel trailers, fifth wheels, pickup campers, ATV's, snowmobiles, boats, horse trailers, and various utility trailers.
2. Units in good condition must be stored on the property in an orderly fashion and as much out of sight as possible, given the terrain of the property. [See "FENCES" -- section 6(C).]
3. An unsightly collection of run-down and/or nonoperational RV's or equipment is unacceptable.

J. Recreational Vehicles as Temporary Residences or Storage Facilities

RVs, trailers, pickup campers, and other similar vehicles, as well as temporary shelters such as tents, which are used as temporary residences or as storage facilities, shall not occupy the property for a period to exceed 6 months in any calendar year. (Cov. 4.15)

K. Home-Based Businesses

All home-based businesses that will visually impact the community must be approved by the Architectural Review Committee. Like other activities subject to ARC approval, businesses will be approved or disapproved based on compatibility with the general character of the area and potential effects on neighboring properties. For example, consideration will be given to increased traffic, parking issues, and nuisance activities. (Cov 1.1, 4.1, 4.17, Suppl. Cov./1-12)

L. Signs

All signs are subject to approval by the Architectural Review Committee. (Cov. 4.19)

VII. Property Repair and Unsightly Elements

1. All GVM properties must be kept in a state of sound repair, which complements the area and is equal to or better than that of surrounding properties.
2. If a property is not in such repair, the GVM Manager, in accordance with the procedure for covenant enforcement, may give notice to a property owner in writing citing specific improvements that must be made.

VIII. Violations and Enforcement

A. Monitoring and Citation

The Architectural Review Committee or the GVM Manager will monitor ongoing construction and/or other activities approved by the Architectural Review Committee. Real or alleged violations or departures from approved plans will be investigated and enforcement actions may be taken. (Cov. 4.3, 4.2) Enforcement of Covenants and Architectural Review Committee Rules and Regulations will be performed by the citing of a violation to property owners in accordance with the procedure for covenant enforcement. Voluntary cooperation will be sought whenever possible.

B. Fines

A schedule of fines is available in the GVM Office. (Cov. 4.3)

C. Enforcement

Failure to enforce any provision of the Covenants shall not operate as a waiver of that provision, or of any other provision, including the Rules and Regulations. (Cov. 5.6)

Rev.: 9-15-2010